

Galaxy®

Cloud-Hosted Integrated Intrusion Grade 2/3 Control Panels

Now, Galaxy Dimension, Galaxy Flex and Galaxy FLEX+ are integrated with MAXPRO® Cloud. MAXPRO Cloud is a fully integrated access control, intrusion and video security as a service platform. Ideal for small to medium businesses, MAXPRO Cloud makes single or multi-site building security simple and scalable. Users can manage their security system from anywhere at any time via a web browser or our innovative award-winning app.

Remote configuration and management of sites, devices, schedules and users reduces operational costs and streamlines efficiencies across multi-site installations.

Our cloud-ready Galaxy range of intruder control panels makes installation easy with plug and play connectivity, auto registration of security panels reducing your creation costs and installation time.

- Cloud-hosted, scalable, expandable, efficient—no servers or software required
- Secure, HTTPS login and 256 bit encryption, high availability data centers
- Integrated access control, intrusion and video with plug and play device connection
- Preconfigure accounts, sites, schedules and people, saving installation time at site
- Configure and manage sites, devices, schedules and users across multiple sites from the cloud
- Designed for small to medium, single or multi-site businesses
- Easily grow and scale with your customers needs
- New Galaxy User Management (GUM) functionality enables efficient remote user management.



Retail



Property Management



Franchises



Commercial Offices



Professional Services



Remote Facilities



Galaxy Integrated Control Panels | Cloud-Hosted Intrusion Detection

SYSTEM BENEFITS

- Secure cloud-based managed video, access control and intrusion.
- Multi-site video , access control and intrusion deployments made easy with cloud-based configuration and management
- Plug and play Cloud ready control panels for Grade 2 and Grade 3 installations
- Management of all Galaxy panels from anywhere via PC, iOS and Android™
- Arm/Disarm and system reset
- Single touch event history, system health and site switch
- Push notification for instant alert and/or customer offering optimization
- Intrusion/access events with video verification
- Automated and scheduled reporting
- Easy-to-install and cost-effective
- Fully scalable architecture with distributed deployment
- Manage user credentials across large scale deployments
- Remote configuration reduces truck rolls
- Map-based configuration and management
- Real-time notifications with event clips
- Health and status of Video, Access Control and Intrusion systems across all customer locations

Intuitive User Interface

- Dashboards
- Google Maps Based Overlay
- On demand/Scheduled reports
- Integrated Access Control, Intrusion and Video Viewer
- Customizable Floor Plans
- Real-time Alarm/Event Monitoring



Powerful Mobile App

- Dashboard View, Health and Status and Events
- Multi-location Site Management Access Control, Intrusion and Video
- Remotely Lock and Unlock Doors
- User Access Management
- Integrated Access Control , Intrusion and Video Viewer
- Recorded Video Playback
- Alarms and Notifications
- Intrusion alarm system arming and disarming



Galaxy Integrated Control Panels | Cloud-Hosted Intrusion Detection

MAXPRO™ CLOUD SYSTEM OVERVIEW


INSTALLER VALUE

- Reduced installation cost and time due to plug and play structure
- Improved efficiency and lower operational costs with remote system overview and potential fault identification
- Always connected; reduce time for changing users & codes (e.g. PIN code, User Name, Authorization level, etc) across multiple sites


CUSTOMER VALUE

- Reduce number of false alarms with verification of events
- Improve efficiency and lower operational costs with intelligent business insight
- Access system from anywhere, make quick informed decisions
- Multi-location management through a single user login to all sites
- Intrusion/access events with video verification
- Fully scalable multi-site code management

MAXPRO CLOUD



Multi-site Integrated Video , Intrusion and Access Control



Galaxy Integrated Control Panels | Cloud-Hosted Intrusion Detection

GALAXY PANEL COMPATIBILITY

DIMENSION

PART NUMBER	DESCRIPTION	WIRELESS ZONES	KEYPADS	CONTROLLED DOORS	WIRELESS PORTALS	USERS	LOGS	GROUPS	MULTI-PATH
C048-D-E1	GD-48 Control Panel with PSTN dialler	16 – 48 zones, including 32 wireless	8 (3 keyprox)	8	4	100	1000 event log 500 access log	8	Communications via GPRS, Ethernet, PSTN
C096-D-E1	GD-96 Control Panel with PSTN dialler	16 – 96 zones, including 80 wireless	16 (7 keyprox)	32	8	250	1000 event log 500 access log	16	Communications via GPRS, Ethernet, PSTN
C254-D-E1	GD-254 Control Panel with PSTN dialler	16 – 254 zones, including 192 wireless	16 (7 keyprox)	32	8	1000	1500 event log 1000 access log	32	Communications via GPRS, Ethernet, PSTN
C520-D-E1	GD-520 Control Panel with PSTN dialler	16 – 520 zones, including 192 wireless	32 (24 keyprox)	64	8	1000	1500 event log 1000 access log	32	Communications via GPRS, Ethernet, PSTN

GALAXY FLEX

PART NUMBER	DESCRIPTION	WIRELESS ZONES	KEYPADS	CONTROLLED DOORS	WIRELESS PORTALS	USERS	LOGS	GROUPS	MULTI-PATH
C005-S-E1	Galaxy Flex FX020 small box, 1A	12-20 zones including 20 wireless	4 (4 keyprox)	4	4	25	500 event log 500 access log	3	Communications via GPRS, Ethernet, PSTN
C005-M-E1	Galaxy Flex FX020	12-20 zones including 20 wireless	4 (4 keyprox)	4	4	25	500 event log 500 access log	3	Communications via GPRS, Ethernet, PSTN
C006-M-E1	Galaxy Flex FX050	12-52 zones, including 52 wireless	8 (8 keyprox)	8	8	100	500 event log 500 access log	8	Communications via GPRS, Ethernet, PSTN
C007-M-E1	Galaxy Flex FX100	12-100 zones including 100 wireless	8 (8 keyprox)	16	8	250	1000 event log 500 access log	16	Communications via GPRS, Ethernet, PSTN
C005-L-E1	Galaxy Flex FX020 large box, 2A	12-20 zones, including 20 wireless	4 (4 keyprox)	4	4	25	500 event log 500 access log	3	Communications via GPRS, Ethernet, PSTN
C006-L-E1	Galaxy Flex FX050 large box, 2A	12-52 zones including 52 wireless	8 (8 keyprox)	8	8	100	500 event log 500 access log	8	Communications via GPRS, Ethernet, PSTN
C007-L-E1	Galaxy Flex FX100 large box, 2A	12-100 zones including 100 wireless	8 (8 keyprox)	16	8	250	1000 event log 500 access log	16	Communications via GPRS, Ethernet, PSTN

GALAXY FLEX+

PART NUMBER	DESCRIPTION	WIRELESS ZONES	KEYPADS	CONTROLLED DOORS	WIRELESS TRANCEIVERS / RF PORTAL (GRADE 2 ONLY)	USERS	LOGS	GROUPS	MULTI-PATH
C015-L-E1	Galaxy Flex FX020+ large box, 2A	12-20 zones including 20 wireless	4 (4 keyprox)	4	4		1000 event log 500 access log	3	Communications via GPRS, Ethernet, PSTN
C016-L-E1	Galaxy Flex FX050+ large box, 2A	12-52 zones including 52 wireless	8 (8 keyprox)	8	4		1000 event log 500 access log	8	Communications via GPRS, Ethernet, PSTN
C017-L-E1	Galaxy Flex FX100+ large box, 2A	12-100 zones including 100 wireless	8 (8 keyprox)	16	8		1500 event log 500 access log	16	Communications via GPRS, Ethernet, PSTN

USER INTERFACES

PART NUMBER	DESCRIPTION	BUTTONS	CONTROL & DISPLAY	TAMPER PROTECTION	RANGE	SET/UNSET WITH PIN	EASY INSTALLATION	APPROVALS
CP050-00-01	MK8 Keypad	Tactile backlit buttons	Full system control 32 alphanumeric backlit display	•	Working distance up to 1000m	•	•	PD6662: 2004/2010 EN50131-1 Security Grade 3, Environmental Class II
CP051-00-01	MK8 Keypad with combined LCD keypad prox. card reader	Tactile backlit buttons	Full system control 32 alphanumeric backlit display	•	Working distance up to 1000m	•	•	PD6662: 2004/2010 EN50131-1 Security Grade 3, Environmental Class II
CP037-01	MK7 Keypad	Tactile backlit rubber buttons	Full system control 32 alphanumeric backlit display	•	Working distance up to 1000m	•	•	PD6662: 2004/2010 EN50131-1 Security Grade 3, Environmental Class II
CP038-01	MK7 Keypad with combined LCD keypad prox. card reader	Tactile backlit rubber buttons	Full system control 32 alphanumeric backlit display	•	Working distance up to 1000m	•	•	PD6662: 2004/2010 EN50131-1 Security Grade 3, Environmental Class II
CP045-00	Galaxy TouchCenter Plus flush mount	Touch user interface	Full system control with intuitive icon menu	•	Working distance up to 1000m	•	•	PD6662: 2004/2010 EN50131-1 Security Grade 3, Environmental Class II
CP046-00	Galaxy TouchCenter Plus flush mount (with prox)	Touch user interface	Full system control with intuitive icon menu	•	Working distance up to 1000m	•	•	PD6662: 2004/2010 EN50131-1 Security Grade 3, Environmental Class II

ORDERING INFORMATION

MAXPRO CLOUD INTRUSION SERVICES - MONTHLY FEE	REFERENCE
For one Galaxy Flex and Dimension panel	MPC-I000

For more information:

www.maxprocloud.com/uk

Honeywell Security and Fire

Aston Fields Road
Whitehouse Industrial Estate
Runcorn
Cheshire WA7 3DL
Tel: 08448 000 235
www.honeywell.com

Honeywell reserves the right, without notification, to make changes in product design or specifications.

All trademarks are property of their respective owners.

HSFI-GalaxyCL-03-EN(O220)DS-CP
© 2020 Honeywell International Inc.

Honeywell